





性 於 於 的 的 的 的 等 的 等 的 等 的 等 的 等 的 形 等 定 书

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称:

锂离子聚合物电池 Li3949T44P8h806459 3.89V 4900mAh/19.06Wh (RATED)

5000mAh/19. 45Wh (TYPICAL)

Sample name:

RECHARGEABLE LI-ION POLYMER BATTERY Li3949T44P8h806459 3.89V

4900mAh/19.06Wh (RATED) 5000mAh/19.45Wh (TYPICAL)

委托单位:

珠海冠宇电池股份有限公司

Zhuhai CosMX Battery Co., Ltd.

生产单位:

珠海冠宇电源有限公司金湾分公司

Zhuhai CosMX Power JinWan Subsidiary Co., Ltd.



SICIT上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





Page 1/3

Certification for Safe Transport of Chemical Goods

	Ce	ertification for Safe Transport		rage 1/3
	中文	锂离子聚合物电池 Li3949T44P8h806459 3.89V 4900mAh/19.06Wh (RATED) 5000mAh/19.45Wh (TYPICAL)		
样品名称	Lucian de			
	100000000000000000000000000000000000000			
Sample Nar	19900 8000	RECHARGEABLE LI-TON POLIMER BATTERY LISSASIAN ORGANIS S. 657 4500mAn 15. 00mA		
	英文	5000mAh/19. 45Wh (TYPICAL)		
	English			
委托单位		珠海冠宇电池股份有限公司		
Consignor		Zhuhai CosMX Battery Co., Ltd.		
生产单位		珠海冠宇电源有限公司金湾分公司		
Manufacturer		Zhuhai CosMX Power JinWan Subsidiary Co., Ltd.		
检验方法、程序		国际海事组织《国际海运危险货物规则》(2020版)		
Inspection method and procedure		IMO International Maritime Dangerous Goods Code (2020 Edition)		
样品外观		银色, 黄色双色铝塑外壳		
Sample appearance		Silvery and yellow Aluminum-plastics shell		
包装件信息		重量≤30kg。		
	e information	weight≤30kg.		
序号	电池种类	型号	容量Capacity	放置方式
NO.	Battery type 电锂聚合物单电芯电	Model Li3949T44P8h806459	/锂含量Li content 4900mAh/19,06Wh	Placement 电池单独运输
	电锂聚合初早电心电 池 Rechargeable	L13949144P8n800459	4900mAn/19, 00wn	Battery only
	polymer single cell			,
	battery	azards identification)		
S 定 结 论	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDO Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188. 3. 包装要求(Packaging requirements) 无。 None.			

批准 Approver: 主星

审核 Checker: 華学性

於 ppraiser:)

Description

De

货物运输条件鉴定书 Page 2/3Certification for Safe Transport of Chemical Goods 序号 检验结果及其他事项 No. Inspection results and other things 本报告所述锂电池按照《国际海运危险货物规则》(2020版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5. 1 本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. 2 UN38. 3试验概要编号 The UN38.3 Test Summary No. (s) 812200700512183 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information. 锂电池完全封装在内包装内, 位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. 3

电池具有适当的防短路措施。

Cells and batteries are properly protected to prevent short circuits.

4

每个包装件必须标示恰当的锂电池标记。

裝有锂电池的包裝件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第1B部分规 定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。

Each package shall be marked with the appropriate lithium battery mark.

Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188.

6

5

7


-验证码:491171-






货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods





ZTE

锂离子聚合物电池/RECHARGEABLE LI-ION POLYMER BATTERY

额定容量/RATED CAPACITY: 4900mAh(19.06Wh) 典型容量/TYPICAL CAPACITY: 5000mAh(19.45Wh) 标称电压/NOMINAL VOLTAGE: 3.89V== 充电限制电压/LIMITED CHARGE VOLTAGE: 4.48V==型号/MODEL: Li3949T44P8h806459 执行标准/STANDARD: GB 31241-2014 中兴通讯股份有限公司/ZTE CORPORATION 中国制造/MADE IN CHINA 1ICP6/65/76

禁止拆解、撞击、挤压或投入火中 若出现严重鼓胀,请勿继续使用 请使用原配电池和充电器 请勿置于高温环境中/电池浸水后禁止使用 Warning: The battery is not removable Removal may cause fire or explosion Do not disassemble, impact, crush, heat or burn Do not use batteries after severe swelling Use only original batteries and chargers Do not expose to high temperature Do not use batteries after water immersion













