


4G LTE Telephony Router

Voice Support for VoLTE/VoIP/Voicemail



TL-MR6500v







Highlights

Superfast 4G LTE Speed for Reliable Wi-Fi

TL-MR6500v uses 4G LTE technology to achieve speeds of up to 150 Mbps download and 50 Mbps upload. It also shares a Wi-Fi network with maximum speed of 300 Mbps on 2.4 GHz for gaming, streaming, and more.[†]



Professional Voice Functions

Make calls and surf the internet simultaneously with TL-MR6500v's VoLTE, CSFB, and VoIP functions. 50 MB of internal storage is enough space to record 100 minutes of voicemail.



Highlights

Designed for Maximum Network Coverage

Advanced antennas establish efficient and stable connections to every device. Power Amplifier and Low Noise Amplifier boost sending and receiving capabilities, creating wide coverage for your home Wi-Fi network.



Powerful Processor for Superior Stability

Connect up to 32 wireless devices with ease, thanks to a powerful processor that boosts data transfer speeds while ensuring dependable network stability.




Highlights


Management Made Simple

Parental Controls let you easily manage your kids' internet use by limiting access. Guest Network secures your network by giving your visitors a separate access point to your Wi-Fi. Easily assign more bandwidth to your preferred devices with QoS.


Available WAN Connection Backup

With a fully functional WAN/LAN port, TL-MR6500v works as a router compatible with cable, fiber, and DSL modems.






Features







4G LTE

- · 4G LTE Ideal for cutting-edge 4G LTE network
- · Faster Connections Up to 150 Mbps download speed and 50 Mbps upload speed
- · Backward Compatible Compatible with 4G/3G network

Speed


· 300 Mbps Wireless Speed – 300 Mbps Wi-Fi allows stable speed · Better Coverage – Integrated antennas provide stable wireless for wireless activities, such as streaming, surfing, browsing and posting social media

Wi-Fi Range

connections and better coverage

Features







Reliability

- Easy Bandwidth Management Advanced QoS makes it easier for you to manage the bandwidth of connected devices
- Superior Stability Powerful processor enables you to connect up to 32 wireless devices with ease

Ease of Use

- · Intuitive Web UI Ensures quick and simple installation without hassle
- Fast Encryption One-touch WPA wireless security encryption with the WPS button
- Wi-Fi On/Off Conveniently turn on or off wireless radio as required
- Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android and iOS device
- · Online Upgrade Keeps you informed of the latest firmware and allows online upgrade on the web UI

Security

- Guest Network Keeps your main network secure by creating a separate network for friends and visitors
- Access Control Establishes a whitelist or blacklist to allow or restrict certain devices to access the internet
- Parental Controls Restrict internet access time and contents for children devices
- · Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active protection against security threats

Specifications

Hardware

- Ports: 1× 10/100 Mbps LAN/WAN Port, 2× 10/100 Mbps LAN Ports, 1× Phone Port, 1 Micro SIM Card Slot
- · Button: WPS/RESET Button, WiFi ON/OFF Button
- · Antenna: 2 × Detachable External 4G LTE Antennas
- External Power Supply: 12V/1A
- · Dimensions (W x D x H): $7.95 \times 5.55 \times 1.32$ in (202 × 141 × 33.6 mm)

Wireless

· Network Type:

4G: FDD-LTE: B1/B3/B7/B8/B20 (2100/1800/2600/900/800 MHz)

TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz)

3G: DC-HSPA+/HSPA/UMTS: B1/B8 (2100/900 MHz)


- · Wireless Standards: IEEE 802.11b, 802.11g, 802.11n
- · Frequency: 2.4 GHz
- · Signal Rate: 300 Mbps at 2.4 GHz
- · CE EIRP: <20 dBm (2.4 GHz)
- · Reception Sensitivity:

11g 54M: -74 dBm

11n HT20: -71 dBm

11n HT40: -67 dBm

- · Wireless Function: Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics
- · Wireless Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions



Telephony

· VoIP Standards:

SIP(RFC3261)/RTP(RFC1889/3550), G.711A/u, G.729AB, G.726

· Integrated Answering Machine:

Stores 100 minutes long voice messages internally on the modem router.

· Advanced Telephone Functions:

Call Blocking, Anonymous Call Blocks, Speed Dial, Emergency Number

Specifications

Software

- · Operation Modes: 3G/4G Router, Wireless Router
- · WAN Type: Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
- · DHCP: Server, Client, DHCP Client List, Address Reservation
- · Quality of Service: WMM, QoS
- · Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- · Dynamic DNS: TP-Link DDNS, DynDns, NO-IP
- · VPN Passthrough: PPTP, L2TP, IPSec
- · VPN Server: PPTP VPN, OpenVPN
- · Access Control: Parental Controls, Local Management Control, Host List, Access Control
- · Firewall Security: DoS, SPI Firewall, IP and MAC Address Binding
- · Protocols: IPv4, IPv6
- · Management: Access Control, Local Management, Remote Management
- · Guest Network: 2.4 GHz Guest Network

Certification: CE, RoHS Requirements:

Others

Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, MacOS,

NetWare, UNIX or Linux

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 browser or higher, or

other Java-enabled browsers

Micro SIM Card

Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

Package Contents

300Mbps Wireless N 4G LTE Telephony Router TL-MR6500v

Power Adapter

RJ45 Ethernet Cable

RJ11 Cable

Quick Installation Guide

Telephony Feature Guide



耳音音 For more information, please visit

https://www.tp-link.com/products/details/?model=TL-MR6500v V1

or scan the QR code left

†Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

Copyright ©2020 TP-Link